


Shenzhen MCD Electronics CO.,Ltd

MCD-10080





Shenzhen MCD Electronics CO.,Ltd

Product Parameters:

General Specification

1.Tunnel Size:1000(W)*800(H)mm

2.Conveyor Speed:0.22m/s

3. Conveyor Max Load: 200kg

4.Dose per Inspection: <1.7uGy/h

5Wire Resolution: < 0.101mm Metal Wire

6.Spatial Resolution:level:Φ1.3 mm Vertical:Φ1.0 mm

7.Through Resolution:Φ0.254 mm

8.Penetration:40mm Steel

9.Film Safety: Guarantee ISO1600 Film

10.X-ray Leakage: < 0.1uGy/h (at a distance of 5cm from external housing)

X-ray Generator

1.Generate Direct: Downward

2.Generate Angle:80degree

3.Anode Voltage:100-160Kv

4. Anode Power: 0.4 to 1.2 MA

5. Cooling/Duty Cycle: Oil Cooling/100%

Image System

- 1.X-ray Sensor: L-Shaped Photodiode Array(monoenergetic),12 bit Deep
- 2.Monitor: High Resolution Color, LCD Accord, 17 inch
- 3.Image Processing: Edge enhancement, Image Strengthening, Image Lighting, Reducing Darkening, Image Returning, Image Retrieval.
- 3.Image Grey Level:4096
- 4.Image Max Resolution:1024*1280 pixel
- 5.Image Processing:24bit for processing real time
- 6.Image storage: Storage 60000 pictures in real time
- 7.Zones&Zoom:1-9 image regions,2,4,8,16 Times Enlarge,

Whole Screen Continuous Observation

- 8. Multi-energetic Distinguish Objects: Organic objects in orange, inorganic objects in blue, mixture in green
- 9. High-energy/low energy: switch from high energy to low energy
- 10. Assist to detect drug and explosive powder



Shenzhen MCD Electronics CO.,Ltd

Installation Data

- 1.Operation Temperature/Humidity:0°C ~45°C/20%-95%(non-condensing)
- 2.Storage Temperature/Humidity:-20°C-60°C/20%-95%(non-condensing)
- 3. Operation Power: 220 VAC(\pm 10%)50 \pm 3Hz
- 4.Power Wastage: 1.0KW(max),1.0KW(working.)
- 5.Noise: <58dB

Feature and Application:

X-Ray security machine is mainly used to detect small pieces of goods , parcels ,packages ,suitcases ,backpacks and other hidden contraband in objects, and so on able on detect hidden foreign bodies in a variety of packaging products, Widely used in : airport , subway station , factories , museums , embassies , customs ,Food industry , pharmaceutical industry , textile industry .

